

List of Danube Bridges

Vertical bridge clearance refers to the distance (in metres) between the lowest part of the bottom edge of a bridge in the range of the entire width of the fairway channel and the highest navigable water level (HNWL).

Horizontal bridge clearance refers to the width of the fairway channel at low navigable water level (LNWL).

The period of reference for the calculation of HNWL and LNWL ranges from 1961 to 1990.

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1 (RB, downstream view)			Passageway 2 (LB, downstream view)			Reference gauge (HNWL 1961-1990)	Notes
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
1	2,414.25	DE	DE	Maximiliansbrücke (Kelheim)	Road	5.25	17.00	D + U	—	—	—	540 cm Kelheim	
2	2,412.72	DE	DE	Europabrücke (Kelheim)	Road	6.80	31.00	D + U	—	—	—	540 cm Kelheim	
3	2,410.10	DE	DE	Straßenbrücke Saal	Road	7.10	64.00	D + U	—	—	—	480 cm Oberndorf	
4	2,401.92	DE	DE	Eisenbahnbrücke Poikam	Rail	7.05	28.00	D + U	—	—	—	Impounded water level Bad Abbach	
5	2,401.74	DE	DE	Wehrbrücke Bad Abbach	Road	6.40	48.00	D + U	—	—	—	Impounded water level Bad Abbach	
6	2,400.28	DE	DE	Wirtschaftswegbrücke Bad Abbach	Road	6.45	48.00	D + U	—	—	—	Impounded water level Bad Abbach	
7	2,387.59	DE	DE	Autobahnbrücke Sinzing	Road	40.80	49.00	D + U	—	—	—	480 cm Oberndorf	
8	2,386.71	DE	DE	Eisenbahnbrücke Sinzing	Rail	10.46	48.00	D + U	—	—	—	480 cm Oberndorf	
9	2,385.67	DE	DE	Eisenbahnbrücke Mariaort	Rail	8.65	32.00	D + U	—	—	—	480 cm Oberndorf	
10	2,381.13	DE	DE	Autobahnbrücke Pfaffenstein (Regensburg)	Road	6.75	39.00	D + U	—	—	—	Impounded water level Regensburg	
11	2,381.04	DE	DE	Wegbrücke Pfaffenstein (Regensburg)	Pedestrian	6.60	39.00	D + U	—	—	—	Impounded water level Regensburg	
12	2,380.17	DE	DE	Oberpfalzbrücke (Regensburg)	Road	6.40	67.00	D + U	—	—	—	Impounded water level Regensburg	
13	2,379.56	DE	DE	Protzenweiherbrücke (Regensburg)	Road	5.95	12.00	D + U	—	—	—	520 cm Regensburg-Schwabelweis	Height indicator; new construction: 2011, lifting to 6.40
14	2,378.39	DE	DE	Nibelungenbrücke (Nordarm, Regensburg)	Road	6.95	50.00	D + U	—	—	—	520 cm Regensburg-Schwabelweis	
15	2,376.82	DE	DE	Eisenbahnbrücke Schwabelweis	Rail	5.95	34.00	D	6.00	33.00	U	520 cm Regensburg-Schwabelweis	Height indicator
16	2,376.33	DE	DE	Straßenbrücke Regensburg-Schwabelweis	Road	8.65	101.00	D + U	—	—	—	520 cm Regensburg-Schwabelweis	
17	2,369.64	DE	DE	Straßenbrücke Donaustauf	Road	8.75	101.00	D + U	—	—	—	520 cm Regensburg-Schwabelweis	
18	2,358.26	DE	DE	Autobahnbrücke Würth	Road	8.10	138.00	D + U	—	—	—	520 cm Regensburg-Schwabelweis	
19	2,353.32	DE	DE	Straßenbrücke Pfatter	Road	7.35	85.00	D + U	—	—	—	600 cm Pfatter	Height in recommended channel: 8.05
20	2,321.82	DE	DE	Straßenbrücke UH Schleuse Straubing	Road	8.30	24.00	D + U	—	—	—	505 cm Straubing	
21	2,320.00	DE	DE	Agnes-Bernauer-Brücke (Straubing)	Road	8.85	66.00	D + U	—	—	—	505 cm Straubing	
22	2,316.98	DE	DE	Straßenbrücke Reibersdorf	Road	8.85	71.00	D + U	—	—	—	505 cm Straubing	
23	2,311.27	DE	DE	Eisenbahnbrücke Bogen	Rail	5.00	43.00	D + U	—	—	—	620 cm Pfelling	Height indicator
24	2,308.40	DE	DE	Straßenbrücke Bogen	Road	9.00	75.00	D + U	—	—	—	620 cm Pfelling	
25	2,290.12	DE	DE	Autobahnbrücke Metten	Road	8.60	71.00	D + U	—	—	—	540 cm Deggendorf	
26	2,285.90	DE	DE	Eisenbahnbrücke Deggendorf [Neubau]	Rail	8.00	90.00	D + U	—	—	—	540 cm Deggendorf	Under construction; completion: 2010
27	2,285.87	DE	DE	Eisenbahnbrücke Deggendorf [Bestand]	Rail	4.70	39.00	D + U	—	—	—	540 cm Deggendorf	Height indicator
28	2,285.49	DE	DE	Autobahnbrücke Fischerdorf (Deggendorf)	Road	8.40	89.00	D + U	—	—	—	540 cm Deggendorf	
29	2,284.59	DE	DE	Maximilianbrücke (Deggendorf)	Road	8.60	89.00	D + U	—	—	—	540 cm Deggendorf	

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1 (RB, downstream view)			Passageway 2 (LB, downstream view)			Reference gauge (HNWL 1961-1990)	Notes
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
30	2,282.52	DE	DE	Autobahnbrücke Deggenau	Road	9.65	82.00	D + U	—	—	—	540 cm Deggendorf	Height at crest: 10.59
31	2,266.23	DE	DE	Donau-Wald-Brücke (Winzer)	Road	8.60	62.00	D + U	—	—	—	480 cm Hofkirchen	Height at crest: 11.25
32	2,249.16	DE	DE	Straßenbrücke Vilshofen (Marienbrücke)	Road	8.00	89.00	D + U	—	—	—	480 cm Hofkirchen	partly renewed
33	2,234.26	DE	DE	Autobahnbrücke Schalding	Road	35.75	100.00	D + U	—	—	—	Impounded water level Kachlet	Height at crest: 36.35
34	2,230.63	DE	DE	Kabelsteg Kachlet	Cable	8.50	24.00	D + U	8.50	24.00	D + U	Impounded water level Kachlet	
35	2,230.42	DE	DE	RMD Schleusenbrücke Kachlet	Road	9.40	27.00	D + U	9.40	27.00	D + U	780 cm Passau-Donau	
36	2,230.28	DE	DE	Eisenbahnbrücke Steinbach (Passau)	Rail	6.30	59.00	D + U	—	—	—	780 cm Passau-Donau	Height indicator
37	2,230.10	DE	DE	Franz-Josef-Strauß-Brücke (Passau)	Road	11.00	67.00	D + U	—	—	—	780 cm Passau-Donau	
38	2,226.96	DE	DE	Schanzbrücke (Passau)	Road	7.70	101.00	D + U	—	—	—	780 cm Passau-Donau	
39	2,225.75	DE	DE	Luitpoldbrücke (Passau)	Road	5.15	80.00	D + U	—	—	—	780 cm Passau-Donau	Height at crest: 5.95; height indicator
40	2,223.28	DE	DE	Eisenbahnbrücke Kräutelstein	Rail	9.50	92.00	D	9.50	71.00	U	780 cm Passau-Donau	
41	2,203.28	DE	DE	Kranbrücke Jochenstein	Crane	7.70	24.00	D + U	7.70	24.00	D + U	Impounded water level Jochenstein	
42	2,194.10	AT	AT	Straßenbrücke Niederranna	Road	7.93	101.60	D + U	—	—	—	281.80 m Kager-Niederranna	Height at crest: 8.43
43	2,162.92	AT	AT	Fußgängerbrücke Schleuse Aschach	Pedestrian	8.23	24.00	D + U	8.23	24.00	D + U	280.70 m HW lock Aschach	
44	2,162.68	AT	AT	Schleusenbrücke Aschach	Lock	10.96	24.00	D + U	10.96	24.00	D + U	266.22 m TW lock Aschach	
45	2,159.97	AT	AT	Straßenbrücke Aschach	Road	8.63	125.40	D + U	—	—	—	265.69 m Aschach-Agentie	Height at crest: 9.28
46	2,146.73	AT	AT	Schleusenbrücke Ottensheim-Wilhering	Lock	9.78	24.00	D + U	9.78	24.00	D + U	256.89 m TW lock Ottensheim	
47	2,135.10	AT	AT	Nibelungenbrücke (Linz)	Road	7.52	90.10	D + U	—	—	—	545 cm Linz	Height at crest: 7.75
48	2,133.83	AT	AT	Straßen- und Eisenbahnbrücke Linz	Road/Rail	7.42	78.50	D + U	—	—	—	570 cm Linz-Eisenbahnbrücke	Height indicator
49	2,133.46	AT	AT	Voest-Brücke (Linz)	Road	9.57	152.60	D + U	—	—	—	556 cm Linz-Voest-Brücke	Height at crest: 10.45
50	2,127.73	AT	AT	Straßenbrücke Steyregg	Road	8.29	70.40	D	8.11	73.60	U	251.59 m Steyregger-Brücke	Height at crest: 8.54 (Passageway 1) and 8.32 (Passageway 2)
51	2,127.68	AT	AT	Eisenbahnbrücke Steyregg	Rail	8.40	71.30	D	8.39	71.70	U	251.59 m Steyregger-Brücke	
52	2,119.45	AT	AT	Schleusenbrücke Abwinden-Asten	Lock	10.67	24.00	D + U	10.67	24.00	D + U	244.82 m TW lock Abwinden	
53	2,111.05	AT	AT	Straßen- und Eisenbahnbrücke Mauthausen	Road/Rail	8.10	72.70	D	8.09	72.50	U	547 cm Mauthausen	
54	2,094.50	AT	AT	Schleusenbrücke Wallsee-Mitterkirchen	Lock	9.96	24.00	D + U	9.96	24.00	D + U	232.44 m TW lock Wallsee	
55	2,080.82	AT	AT	Straßenbrücke Grein	Road	8.59	99.70	D + U	—	—	—	228.42 m Grein-Straßenbrücke	Height at crest: 10.75
56	2,060.42	AT	AT	Kranbrücke Schleuse Ybbs-Persenbeug	Lock	8.01	24.00	D + U	8.01	24.00	D + U	226.50 m HW lock Persenbeug	
57	2,060.15	AT	AT	Schleusenbrücke Persenbeug	Road	9.42	24.00	D + U	9.42	24.00	D + U	217.85 m TW lock Persenbeug	
58	2,043.80	AT	AT	Straßenbrücke Pöchlarn	Road	8.91	80.70	D	8.31	80.90	U	214.31 m Donaubrücke Pöchlarn	Height at crest: 10.91 (Passageway 1) and 10.38 (Passageway 2)
59	2,038.12	AT	AT	Schleusenbrücke Melk	Lock	9.96	24.00	D + U	9.96	24.00	D + U	207.67 m TW lock Melk	
60	2,034.43	AT	AT	Straßenbrücke Melk	Road	9.62	132.70	D + U	—	—	—	709 cm Melk-Straßenbrücke	Height at crest: 13.38
61	2,003.53	AT	AT	Straßenbrücke Stein - Mautern	Road	7.53	79.30	D + U	—	—	—	195.47 m Stein-Straßenbrücke	Height indicator; bridge will likely be lifted in 2010
62	2,001.51	AT	AT	Eisenbahnbrücke Krems	Rail	7.85	70.00	D	7.93	72.00	U	194.83 m Krems-Eisenbahnbrücke	

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1 (RB, downstream view)			Passageway 2 (LB, downstream view)			Reference gauge (HNWL 1961-1990)	Notes
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
63	1,999.77	AT	AT	Straßenbrücke Krems	Road	8.40	110.90	D + U	—	—	—	194.43 m Krems-Straßenbrücke	Height at crest: 8.50
64	1,991.30	AT	AT	Donaubrücke Traismauer	Road	8.00	120.00	D + U	—	—	—	194.10 m Donaubrücke Traismauer	Height at crest: 11.10; under construction; completion: 2010
65	1,979.80	AT	AT	Schleusenbrücke Altenwörth	Lock	11.16	24.00	D + U	11.16	24.00	D + U	181.32 m TW lock Altenwörth	
66	1,965.50	AT	AT	Straßenbrücke Tulln-West (Rosenbrücke)	Road	9.77	150.80	D + U	—	—	—	177.71 m Tulln-Rosenbrücke	Height at crest: 11.13
67	1,963.15	AT	AT	Straßen- und Eisenbahnbrücke Tulln	Road/Rail	7.76	77.30	D	7.90	78.80	U	177.32 m Tulln	
68	1,949.23	AT	AT	Schleusenbrücke Greifenstein	Lock	9.56	24.00	D + U	9.56	24.00	D + U	167.44 m TW lock Greifenstein	
69	1,932.62	AT	AT	Nordbrücke (Wien)	Road	8.41	65.00	U	8.16	58.00	D	623 cm Wien-Nordbrücke	Height at crest: 8.53 (Passageway 1) and 8.35 (Passageway 2)
70	1,932.57	AT	AT	Nordsteg (Wien)	Pedestrian	8.81	65.00	U	8.50	58.00	D	622 cm Wien-Nordbrücke	
71	1,931.71	AT	AT	Floridsdorfer Brücke (Wien)	Road/Tram	8.32	118.00	D + U	—	—	—	643 cm Wien-Floridsdorferbrücke	Height at crest: 9.18
72	1,931.20	AT	AT	Nordbahnbrücke (Wien)	Rail	8.12	67.00	U	8.15	65.00	D	666 cm Wien-Nordbahnbrücke	
73	1,931.17	AT	AT	U6-Brücke (Wien)	Subway	7.71	67.00	U	7.85	65.00	D	666 cm Wien-Nordbahnbrücke	
74	1,930.45	AT	AT	Brigittenauer Brücke (Wien)	Road	8.53	128.00	D + U	—	—	—	161.59 m Brigittenauerbrücke	Height at crest: 11.23
75	1,928.90	AT	AT	Reichsbrücke (Wien)	Road	7.88	60.00	U	7.94	59.00	D	743 cm Wien-Reichsbrücke	Height at crest: 8.42 (Passageway 1 & 2)
76	1,925.99	AT	AT	Donaustadtbrücke (Wien)	Road	8.24	126.00	D + U	—	—	—	847 cm Wien-Praterbrücke	Partly overlapping lanes in passageway
77	1,925.76	AT	AT	Praterbrücke (Wien)	Road	7.91	131.00	D + U	—	—	—	847 cm Wien-Praterbrücke	Height at crest: 7.94
78	1,924.96	AT	AT	Ostbahnbrücke (Wien)	Rail	8.03	66.00	U	7.99	65.00	D	919 cm Wien-Ostbahnbrücke	
79	1,921.05	AT	AT	Kraftwerksbrücke KW Freudenau	Lock	9.76	24.00	D + U	9.74	24.00	D + U	155.95 m TW lock Freudenau	
80	1,920.87	AT	AT	Fußgängerbrücke KW Freudenau	Pedestrian	8.52	59.00	D + U	—	—	—	155.95 m TW lock Freudenau	Height at crest: 9.06
81	1,917.70	AT	AT	Rohrbrücke Mannswörth	Pipeline	11.16	125.80	D + U	—	—	—	572 cm Mannswörth-Rohrbrücke	Height at crest: 13.11
82	1,914.35	AT	AT	Barbarabrücke (Schwechat)	Pipeline	10.98	113.50	D + U	—	—	—	586 cm Barbarabrücke	Height at crest: 12.64
83	1,886.25	AT	AT	Straßenbrücke Hainburg	Road	13.17	114.40	D + U	—	—	—	512 cm Hainburg-Straßenbrücke	Height at crest: 13.26
84	1,871.35	SK	SK	Most Lafranconi (Bratislava)	Road	11.03	120.00	D + U	—	—	—	643 cm Bratislava	Height at crest: 15.88
85	1,869.10	SK	SK	Nový most (Bratislava)	Road	11.46	180.00	D + U	—	—	—	643 cm Bratislava	Height at crest: 12.12
86	1,868.14	SK	SK	Starý most (Bratislava)	Road/Rail	7.59	86.00	D	7.59	67.00	U	643 cm Bratislava	New construction planned
87	1,867.30	SK	SK	Most Apollo (Bratislava)	Road	10.00	210.00	D + U	—	—	—	643 cm Bratislava	
88	1,866.40	SK	SK	Přístavný most (Bratislava)	Road/Rail	11.06	170.00	D + U	—	—	—	643 cm Bratislava	
89	1,819.30	SK	SK	Lock bridge Gabčíkovo	Lock	9.01	34.00	D + U	8.99	34.00	D + U	115.01 m Medved'ov	
90	1,806.35	HU	SK	Medve-híd/Most Medve (Medved'ov)	Road	8.77	76.00	D	9.19	76.00	U	550 cm Medved'ov	Height at left border of fairway channel (D1): 9.15
91	1,770.40	HU	SK	Komáromi-híd (Rail)	Rail	8.65	90.00	D	8.68	90.00	U	600 cm Komárno	
92	1,767.80	HU	SK	Komáromi-híd (Road)	Road	8.35	80.00	U	8.35	80.00	D	600 cm Komárno	Height at crest: 9.08 (Passageway 1 & 2)
93	1,718.80	HU	SK	Esztergom (Štúrovo) (Maria Valeria híd)	Road	9.91	80.00	U	9.91	80.00	D	508 cm Štúrovo	
94	1,659.74	HU	HU	M0 Északi (Budapest North)	Road	13.21	150.00	D + U	—	—	—	668 cm Budapest	Height at crest: 13.53
95	1,654.50	HU	HU	Újpesti-híd (Budapest)	Road	9.50	80.00	D	9.50	80.00	U	668 cm Budapest	reconstructed and lifted in 2008

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1 (RB, downstream view)			Passageway 2 (LB, downstream view)			Reference gauge (HNWL 1961-1990)	Notes
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
96	1,651.40	HU	HU	Árpád-híd (Budapest)	Road	7.82	70.00	D	7.85	70.00	U	668 cm Budapest	Height at crest: 8.16 (Passageway 1) and 8.19 (Passageway 2)
97	1,648.70	HU	HU	Margit-híd (Budapest)	Road	4.98	60.00	D	5.58	60.00	U	668 cm Budapest	Height at crest: 9.79 (Passageway 1) and 9.94 (Passageway 2)
98	1,647.00	HU	HU	Lánchíd (Széchenyi) (Budapest)	Road	7.36	130.00	D + U	—	—	—	668 cm Budapest	Height at crest: 8.20 at a width of 80 m
99	1,646.00	HU	HU	Erzsébet-híd (Budapest)	Road	7.42	180.00	D + U	—	—	—	668 cm Budapest	Height at crest: 8.72 at a width of 80 m
100	1,645.30	HU	HU	Szabadság-híd (Budapest)	Road	9.54	80.00	D + U	—	—	—	668 cm Budapest	Height at crest: 9.54
101	1,644.30	HU	HU	Petőfi-híd (Budapest)	Road	8.30	80.00	D + U	—	—	—	668 cm Budapest	Height at crest: 9.47
102	1,643.20	HU	HU	Lágymányosi-híd (Budapest)	Road	9.15	60.00	D	9.15	60.00	U	668 cm Budapest	
103	1,643.10	HU	HU	Déli-híd (Budapest)	Rail	9.15	60.00	D	9.15	60.00	U	668 cm Budapest	
104	1,632.81	HU	HU	M0 híd (Budapest Süd)	Road	10.00	100.00	D	10.00	100.00	U	668 cm Budapest	
105	1,571.70	HU	HU	Pentele-híd (Dunaújváros-Dunavecse)	Road	11.86	198.80	D + U	—	—	—	551 cm Dunaújváros	Height at crest: 13.31; height at right border of fairway channel: 14.76
106	1,560.55	HU	HU	Dunaföldvári-híd (Dunaföldvár)	Road/Rail	8.73	74.00	D	8.73	74.00	U	546 cm Dunaföldvár	
107	1,498.80	HU	HU	Szekszárdi-híd (Szent László) (Bogyiszló)	Road	9.50	100.00	D	9.50	100.00	U	755 cm Dombori	Height at crest: 11.55
108	1,480.22	HU	HU	Bajai-híd (Türr István) (Baja)	Road/Rail	8.09	60.00	D	8.40	60.00	U	805 cm Baja	
109	1,424.47	HR	RS	Drumski most Bezdán - Batina	Road	9.50	120.00	D + U	—	—	—	596 cm Bezdán	Height at crest: 9.80
110	1,366.73	HR	RS	Drumski most Erdut - Bogojevo	Road	9.00	120.00	D + U	—	—	—	635 cm Bogojevo	
111	1,366.50	HR	RS	Drumsko-železnički most Erdut - Bogojevo	Road/Rail	8.15	97.70	D + U	—	—	—	635 cm Bogojevo	
112	1,297.06	HR	RS	Drumski most Bačka Palanka - Ilok	Road	9.71	150.00	D + U	—	—	—	589 cm Ilok	
113	1,257.60	RS	RS	Most Slobode (Novi Sad)	Road	13.63	240.00	D + U	—	—	—	599 cm Novi Sad	Height at crest: 16.10; height at right border of fairway channel: 18.43
114	1,255.10	RS	RS	Varadinski most (Novi Sad)	Road	9.50	124.00	D + U	—	—	—	599 cm Novi Sad	Height at crest: 11.10
115	1,254.25	RS	RS	Drumsko-železnički most Novi Sad (Žeželj)	Road/Rail	6.82	91.30	D + U	—	—	—	599 cm Novi Sad	For new construction planning documents are currently drafted
116	1,232.05	RS	RS	Drumski most Beška	Road	37.20	180.00	D + U	—	—	—	599 cm Novi Sad	Height at crest: 42.93
117	1,232.03	RS	RS	Drumski most Beška [twin bridge]	Road	37.20	180.00	D + U	—	—	—	599 cm Novi Sad	Under construction; completion: 2010
118	1,166.60	RS	RS	Drumsko-železnički most Pančevo (Beograd)	Road/Rail	9.15	150.00	D	9.15	150.00	U	636 cm Zemun	
119	1,112.90	RS	RS	Most Gasovoda Smederevo	Pipeline	12.37	140.00	D + U	—	—	—	680 cm Smederevo	
120	1,112.10	RS	RS	Drumski most Smederevo - Kovin	Road	10.53	120.00	D + U	—	—	—	680 cm Smederevo	
121	1,045.12	RO	RO	Road bridge Moldova Veche	Road	23.71	150.00	D + U	—	—	—	Impounded water level Iron Gate I	
122	942.90	RS	RO	Road/crane bridge (Đjerdap I/Portile de Fier I)	Lock	10.00	34.00	D + U	10.40	34.00	D + U	Impounded water level Iron Gate I	Bridge can be lifted near right bank from 10.00 to 13.50
123	942.60	RO	RO	Maintenance bridge (Đjerdap I/Portile de Fier I)	Lock	—	—	—	10.40	34.00	D + U	Impounded water level Iron Gate I	Bridge positioned on left bank
124	863.55	RO	RO	Road bridge (Portile de Fier II)	Lock	—	—	—	13.50	34.00	D + U	Impounded water level Iron Gate II	Lock at left bank
125	863.00	RS	RS	Road bridge (Đjerdap II)	Lock	13.87	34.00	D + U	—	—	—	Impounded water level Iron Gate II	Lock at right bank
126	796.10	BG	RO	Most Vidin - Kalafat/Podul Calafat-Vidin	Road/Rail	20.55	150.00	D	20.55	150.00	U	702 cm Calafat	Under construction, completion: 2011
127	488.70	BG	RO	Road and rail bridge Rousse	Road/Rail	13.91	150.00	D	13.91	150.00	U	707 cm Giurgiu	Third passageway available: width: 76.00, height: 14.40 / 21.82
128	300.07	RO	RO	Road and rail bridge Cernavodă	Road/Rail	24.90	170.00	D + U	—	—	—	604 cm Cernavodă	

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1 (RB, downstream view)			Passageway 2 (LB, downstream view)			Reference gauge (HNWL 1961-1990)	Notes
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
129	300.00	RO	RO	Rail bridge Cernavodă	Rail	30.96	182.00	D + U	—	—	—	604 cm Cernavodă	
130	237.80	RO	RO	Road bridge Vadu Oii - Giurgeni	Road	17.70	150.00	D	15.20	148.00	U	644 cm Hirşova	Height at crest: 20.70 (Passageway 1) and 19.35 (Passageway 2)

PORT ENTRANCES

1	2,127.16	AT	AT	Port of voest Linz	Rail/Pipeline	6.65	60.50	D + U	—	—	—	251.56 m Linz-VOEST-Hafen	Height at crest: 7.01
2	1,999.70	AT	AT	Port of Krems	Road	8.81	23.00	D + U	—	—	—	194.00 m Thallern	Height at crest: 9.06
3	1,920.10	AT	AT	Port of Wien-Freudenau	Road	7.77	34.00	D + U	—	—	—	599 cm TW Danube Canal confl.	Height at crest: 9.07
4	1,916.80	AT	AT	Oil port of Lobau	Pipeline	10.96	44.00	D + U	—	—	—	583 cm port approach channel	
5	1,866.25	SK	SK	Port of Bratislava (Prístavný most)	Road/Rail	11.06	50.00	D + U	—	—	—	643 cm Bratislava	
6	1,865.40	SK	SK	Port of Bratislava-Pálenisko	Pipeline	11.88	40.00	D + U	—	—	—	643 cm Bratislava	
7	1,767.00	SK	SK	Port of Komárno	Road	5.25	40.00	D + U	—	—	—	600 cm Komárno	Height at crest: 7.67

BORCEA ARM

1	42.30	RO	RO	Rail bridge Feteşti-Cernavodă	Rail	18.64	140.00	D + U	—	—	—	639 cm Călăraşi	
2	42.22	RO	RO	Road/rail bridge Feteşti-Cernavodă	Road/Rail	18.04	140.00	D + U	—	—	—	639 cm Călăraşi	

DANUBE-BLACK SEA CANAL

Minimum height under the seven bridges of the Danube-Black Sea Canal is 16.50 m above regular water level.

ABBREVIATIONS

No. = consecutive number
 RB = situated close to or on the right bank
 LB = situated close to or on the left bank
 D = for vessels headed downstream
 U = for vessels headed upstream
 HW = headwater of a barrage or lock
 TW = tailwater of a barrage or lock

REFERENCES

National waterway administrations, Danube Commission, electronic navigational charts, WESKA - Europäischer Schifffahrts- und Hafenkalendar

EXCLUSION OF LIABILITY

via donau does not assume liability for the correctness and completeness of the information provided.